

SECTION IV
County-specific Cancer Incidence Rates by Race
Illinois, 2009-2013

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	271,542	474.3	472.5	476.1	136,098	524.6	521.7	527.4	135,444	441.9	439.5	444.3
Oral Cavity and Pharynx	6,917	11.8	11.6	12.1	4,901	17.9	17.4	18.4	2,016	6.5	6.2	6.8
Esophagus	3,048	5.2	5.0	5.4	2,408	9.2	8.8	9.6	640	2.0	1.8	2.1
Stomach	3,666	6.4	6.2	6.6	2,333	9.2	8.8	9.6	1,333	4.2	4.0	4.4
Colon and Rectum	25,308	43.9	43.3	44.4	13,214	51.6	50.7	52.5	12,094	37.6	36.9	38.3
Liver	3,273	5.5	5.3	5.7	2,406	8.8	8.4	9.1	867	2.8	2.6	2.9
Pancreas	7,513	12.9	12.6	13.2	3,837	14.9	14.5	15.4	3,676	11.2	10.9	11.6
Lung and Bronchus	38,865	67.9	67.2	68.6	20,235	80.0	78.8	81.1	18,630	59.1	58.3	60.0
Bones and Joints	463	0.9	0.8	1.0	271	1.1	0.9	1.2	192	0.7	0.6	0.8
Melanoma of the Skin	11,463	20.6	20.2	21.0	6,507	25.4	24.8	26.0	4,956	17.4	16.9	17.9
Breast (invasive)	39,403	69.2	68.5	69.9	321	1.2	1.1	1.4	39,082	129.5	128.2	130.8
Cervix									1,907	7.0	6.7	7.4
Corpus and Uterus, NOS									9,271	29.7	29.0	30.3
Ovary									3,679	12.1	11.7	12.5
Prostate					32,419	118.7	117.3	120.0				
Testis					1,648	6.7	6.4	7.0				
Urinary Bladder (includes in situ)	13,440	23.3	22.9	23.7	10,168	41.0	40.2	41.9	3,272	10.0	9.7	10.4
Kidney and Renal Pelvis	9,986	17.5	17.1	17.8	6,117	23.1	22.5	23.7	3,869	12.6	12.2	13.1
Brain and Nervous System	3,804	7.0	6.8	7.2	2,094	8.1	7.8	8.5	1,710	6.0	5.7	6.3
Hodgkin Lymphoma	1,455	2.9	2.7	3.0	796	3.2	3.0	3.4	659	2.6	2.4	2.8
Non-Hodgkin Lymphoma	11,478	20.2	19.8	20.6	6,184	24.4	23.8	25.1	5,294	16.9	16.4	17.4
Myeloma	3,162	5.4	5.3	5.6	1,749	6.9	6.5	7.2	1,413	4.4	4.1	4.6
Leukemia	7,614	13.7	13.3	14.0	4,314	17.4	16.9	17.9	3,300	10.7	10.4	11.1
All Other Sites	31,760	56.6	55.9	57.2	14,176	55.9	55.0	56.8	17,584	59.0	58.1	59.9
Breast in situ (not in total)									10,019	34.2	33.5	34.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,403	446.2	430.9	461.8	1,727	494.3	470.8	518.8	1,676	411.2	391.1	432.1
Oral Cavity and Pharynx	83	10.9	8.6	13.6	60	16.9	12.8	21.9	23	5.5	3.5	8.5
Esophagus	41	5.5	3.9	7.5	32	9.6	6.5	13.6	9	2.0	0.9	4.0
Stomach	34	4.5	3.1	6.4	27	8.1	5.3	11.8	7	1.5	0.6	3.3
Colon and Rectum	246	32.1	28.2	36.5	124	36.6	30.3	43.8	122	27.9	23.1	33.6
Liver	32	3.8	2.6	5.4	23	5.7	3.6	8.7	9	2.2	1.0	4.3
Pancreas	84	10.7	8.5	13.3	53	14.8	11.0	19.5	31	7.0	4.7	10.0
Lung and Bronchus	456	60.8	55.2	66.7	238	71.0	62.1	80.8	218	52.7	45.8	60.4
Bones and Joints	5	0.7	0.2	1.6	3	1.0	0.2	2.8	2	0.4	0.1	1.7
Melanoma of the Skin	217	29.4	25.5	33.8	122	36.6	30.2	43.8	95	24.6	19.7	30.3
Breast (invasive)	554	73.5	67.3	80.0	4	1.1	0.3	2.8	550	136.8	125.2	149.1
Cervix									17	4.8	2.8	7.8
Corpus and Uterus, NOS									100	23.6	19.1	28.9
Ovary									47	11.2	8.1	15.1
Prostate					421	114.3	103.4	126.0				
Testis					16	3.8	2.1	6.4				
Urinary Bladder (includes in situ)	156	20.0	16.9	23.4	121	35.8	29.6	43.0	35	8.1	5.6	11.4
Kidney and Renal Pelvis	124	16.5	13.6	19.7	86	25.3	20.1	31.3	38	9.0	6.3	12.5
Brain and Nervous System	47	6.3	4.6	8.4	23	6.9	4.4	10.4	24	6.0	3.7	9.1
Hodgkin Lymphoma	21	2.6	1.6	4.1	12	3.1	1.5	5.7	9	2.2	0.9	4.3
Non-Hodgkin Lymphoma	135	17.5	14.6	20.8	78	21.6	17.0	27.1	57	14.0	10.5	18.4
Myeloma	47	6.0	4.4	8.0	30	8.5	5.7	12.2	17	3.8	2.2	6.2
Leukemia	97	12.4	10.0	15.2	61	18.1	13.8	23.4	36	7.8	5.4	11.0
All Other Sites	423	57.2	51.7	63.1	193	55.7	47.9	64.4	230	59.8	52.0	68.5
Breast in situ (not in total)									143	36.5	30.6	43.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	85,270	459.9	456.8	463.1	41,605	505.1	500.2	510.1	43,665	433.5	429.3	437.7
Oral Cavity and Pharynx	2,128	11.4	10.9	11.9	1,491	17.2	16.3	18.1	637	6.3	5.8	6.8
Esophagus	871	4.7	4.4	5.0	650	8.0	7.4	8.6	221	2.1	1.8	2.4
Stomach	1,531	8.2	7.8	8.7	938	11.5	10.8	12.3	593	5.7	5.2	6.2
Colon and Rectum	8,079	43.0	42.0	44.0	4,206	51.5	49.9	53.1	3,873	36.4	35.2	37.6
Liver	1,294	6.9	6.5	7.3	944	11.1	10.3	11.8	350	3.4	3.1	3.8
Pancreas	2,505	13.5	12.9	14.0	1,222	15.2	14.4	16.1	1,283	12.0	11.3	12.7
Lung and Bronchus	11,061	60.3	59.2	61.5	5,461	69.0	67.2	70.9	5,600	54.4	52.9	55.8
Bones and Joints	151	0.9	0.7	1.0	87	1.0	0.8	1.3	64	0.7	0.5	0.9
Melanoma of the Skin	3,211	17.4	16.8	18.0	1,829	22.2	21.2	23.3	1,382	14.3	13.5	15.0
Breast (invasive)	12,761	69.4	68.1	70.6	112	1.3	1.1	1.6	12,649	128.9	126.6	131.2
Cervix									688	7.5	6.9	8.0
Corpus and Uterus, NOS									3,157	31.4	30.3	32.5
Ovary									1,251	12.5	11.8	13.3
Prostate					10,040	117.4	115.1	119.8				
Testis					574	6.2	5.7	6.8				
Urinary Bladder (includes in situ)	4,193	22.6	21.9	23.3	3,094	39.8	38.4	41.2	1,099	10.3	9.7	10.9
Kidney and Renal Pelvis	2,903	15.6	15.1	16.2	1,769	20.8	19.9	21.8	1,134	11.2	10.6	11.9
Brain and Nervous System	1,182	6.5	6.2	6.9	650	7.7	7.1	8.3	532	5.5	5.0	6.0
Hodgkin Lymphoma	504	2.8	2.6	3.1	289	3.4	3.0	3.8	215	2.3	2.0	2.7
Non-Hodgkin Lymphoma	3,763	20.4	19.8	21.1	1,973	24.3	23.3	25.5	1,790	17.4	16.6	18.2
Myeloma	1,053	5.6	5.3	6.0	573	7.1	6.5	7.7	480	4.6	4.1	5.0
Leukemia	2,426	13.3	12.8	13.8	1,365	17.0	16.1	18.0	1,061	10.4	9.8	11.1
All Other Sites	9,944	54.0	52.9	55.1	4,338	53.2	51.6	54.9	5,606	56.3	54.8	57.9
Breast in situ (not in total)									3,329	35.1	33.9	36.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	20,499	477.0	470.3	483.8	9,795	512.5	502.0	523.2	10,704	458.3	449.4	467.3
Oral Cavity and Pharynx	499	11.2	10.2	12.3	336	16.3	14.5	18.2	163	7.0	5.9	8.2
Esophagus	245	5.7	5.0	6.5	183	9.6	8.2	11.2	62	2.6	2.0	3.4
Stomach	291	6.9	6.1	7.8	190	10.1	8.6	11.6	101	4.3	3.4	5.2
Colon and Rectum	1,709	39.8	37.9	41.8	841	44.6	41.5	47.8	868	35.8	33.4	38.3
Liver	184	4.1	3.5	4.7	135	6.6	5.5	7.9	49	2.0	1.5	2.7
Pancreas	594	13.8	12.6	14.9	320	17.1	15.2	19.1	274	11.1	9.8	12.6
Lung and Bronchus	2,469	59.2	56.8	61.6	1,273	71.7	67.7	75.9	1,196	50.9	48.0	54.0
Bones and Joints	30	0.8	0.5	1.1	19	1.1	0.6	1.6	11	0.5	0.2	0.9
Melanoma of the Skin	749	17.7	16.4	19.0	428	22.6	20.4	24.9	321	14.4	12.8	16.1
Breast (invasive)	3,529	81.0	78.2	83.8	20	1.0	0.6	1.5	3,509	150.2	145.2	155.4
Cervix									116	5.5	4.5	6.7
Corpus and Uterus, NOS									805	33.4	31.0	35.8
Ovary									294	12.5	11.0	14.0
Prostate					2,567	123.8	118.8	128.9				
Testis					136	7.5	6.3	8.9				
Urinary Bladder (includes in situ)	1,030	24.6	23.1	26.2	781	43.9	40.8	47.2	249	10.4	9.1	11.8
Kidney and Renal Pelvis	671	15.5	14.3	16.7	412	20.8	18.7	22.9	259	11.0	9.7	12.5
Brain and Nervous System	306	7.4	6.6	8.3	167	8.6	7.3	10.1	139	6.3	5.3	7.5
Hodgkin Lymphoma	120	3.2	2.7	3.9	55	3.0	2.2	3.9	65	3.4	2.6	4.4
Non-Hodgkin Lymphoma	879	20.7	19.3	22.1	454	24.0	21.8	26.4	425	18.2	16.5	20.1
Myeloma	220	4.9	4.3	5.7	128	6.8	5.6	8.2	92	3.5	2.8	4.4
Leukemia	573	13.9	12.8	15.2	317	17.6	15.7	19.7	256	11.0	9.7	12.6
All Other Sites	2,483	59.0	56.7	61.5	1,033	55.9	52.4	59.6	1,450	64.1	60.7	67.6
Breast in situ (not in total)									1,022	44.2	41.4	47.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	9,893	449.3	440.3	458.5	4,919	493.3	479.0	507.9	4,974	422.2	410.3	434.3
Oral Cavity and Pharynx	227	9.9	8.6	11.3	156	13.9	11.7	16.4	71	6.2	4.8	7.9
Esophagus	82	3.6	2.8	4.5	67	6.3	4.8	8.1	15	1.2	0.7	2.1
Stomach	146	6.8	5.7	8.0	96	9.8	7.9	12.1	50	4.3	3.2	5.7
Colon and Rectum	820	38.2	35.6	40.9	455	46.4	42.0	51.0	365	31.2	28.1	34.7
Liver	101	4.7	3.8	5.7	74	7.5	5.8	9.5	27	2.4	1.6	3.6
Pancreas	268	12.9	11.4	14.6	152	16.3	13.7	19.2	116	10.2	8.4	12.3
Lung and Bronchus	1,243	59.5	56.2	63.0	634	68.6	63.2	74.4	609	52.8	48.6	57.2
Bones and Joints	16	0.7	0.4	1.1	10	0.9	0.4	1.6	6	0.5	0.2	1.1
Melanoma of the Skin	424	18.9	17.1	20.8	240	23.5	20.5	26.8	184	15.7	13.5	18.2
Breast (invasive)	1,526	67.5	64.1	71.1	15	1.5	0.8	2.4	1,511	126.8	120.4	133.5
Cervix									85	7.3	5.8	9.1
Corpus and Uterus, NOS									362	29.3	26.3	32.6
Ovary									123	10.4	8.6	12.5
Prostate					1,277	121.2	114.4	128.4				
Testis					74	6.8	5.3	8.6				
Urinary Bladder (includes in situ)	449	21.6	19.6	23.8	330	36.5	32.5	40.8	119	10.1	8.3	12.1
Kidney and Renal Pelvis	364	16.3	14.7	18.1	225	21.4	18.6	24.5	139	11.8	9.9	14.0
Brain and Nervous System	174	7.9	6.7	9.2	108	10.4	8.4	12.6	66	5.7	4.4	7.3
Hodgkin Lymphoma	65	3.0	2.3	3.8	36	3.4	2.4	4.8	29	2.6	1.7	3.7
Non-Hodgkin Lymphoma	404	18.7	16.9	20.7	226	23.8	20.7	27.2	178	15.2	13.0	17.7
Myeloma	118	5.2	4.3	6.3	58	5.5	4.1	7.2	60	5.0	3.8	6.5
Leukemia	278	12.9	11.4	14.5	151	15.6	13.1	18.3	127	10.9	9.1	13.0
All Other Sites	1,267	57.3	54.2	60.6	535	54.1	49.4	59.0	732	62.3	57.8	67.0
Breast in situ (not in total)									349	28.6	25.6	31.8

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,640	478.9	460.4	497.9	1,395	546.5	517.7	576.5	1,245	426.8	402.7	451.9
Oral Cavity and Pharynx	80	14.1	11.1	17.7	57	21.3	16.0	27.8	23	7.4	4.6	11.3
Esophagus	43	7.8	5.6	10.6	29	11.6	7.7	16.9	14	4.5	2.4	7.7
Stomach	39	6.6	4.7	9.2	24	9.0	5.7	13.5	15	4.5	2.5	7.7
Colon and Rectum	250	45.0	39.5	51.1	129	50.7	42.2	60.5	121	39.3	32.5	47.3
Liver	31	5.7	3.8	8.1	22	8.5	5.3	13.0	9	3.2	1.4	6.1
Pancreas	70	12.1	9.4	15.4	37	14.2	9.9	19.7	33	10.5	7.2	15.0
Lung and Bronchus	413	73.8	66.8	81.5	210	82.5	71.5	94.7	203	67.2	58.1	77.4
Bones and Joints	4	1.0	0.3	2.4	2	0.9	0.1	3.3	2	1.0	0.1	3.4
Melanoma of the Skin	84	15.7	12.5	19.6	48	18.6	13.7	24.9	36	13.8	9.5	19.3
Breast (invasive)	322	59.7	53.2	66.8	2	0.8	0.1	3.0	320	111.7	99.4	125.1
Cervix									16	6.5	3.6	10.7
Corpus and Uterus, NOS									86	28.7	22.8	35.7
Ovary									20	7.2	4.3	11.4
Prostate					332	125.0	111.7	139.5				
Testis					11	5.2	2.6	9.3				
Urinary Bladder (includes in situ)	146	25.7	21.6	30.3	112	45.0	37.0	54.4	34	10.8	7.4	15.4
Kidney and Renal Pelvis	105	19.3	15.7	23.4	66	25.9	20.0	33.2	39	13.6	9.6	18.8
Brain and Nervous System	35	6.6	4.6	9.3	14	5.5	3.0	9.4	21	7.7	4.7	11.9
Hodgkin Lymphoma	15	3.2	1.8	5.3	7	3.2	1.3	6.7	8	3.2	1.3	6.3
Non-Hodgkin Lymphoma	106	18.9	15.4	22.9	70	27.7	21.5	35.2	36	11.6	8.1	16.4
Myeloma	41	7.6	5.4	10.4	21	8.7	5.3	13.4	20	6.6	4.0	10.3
Leukemia	90	16.9	13.5	20.9	51	21.4	15.8	28.2	39	13.8	9.7	19.1
All Other Sites	301	56.4	50.1	63.3	151	60.7	51.3	71.4	150	54.2	45.6	64.0
Breast in situ (not in total)									58	21.1	15.9	27.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	14,251	465.0	457.2	472.9	6,973	497.0	484.9	509.3	7,278	444.9	434.5	455.5
Oral Cavity and Pharynx	363	11.4	10.2	12.6	249	16.3	14.3	18.6	114	7.0	5.7	8.4
Esophagus	152	4.8	4.1	5.7	120	8.1	6.7	9.8	32	2.0	1.4	2.9
Stomach	199	6.6	5.7	7.6	121	8.8	7.2	10.6	78	4.9	3.9	6.2
Colon and Rectum	1,183	38.8	36.6	41.2	622	44.9	41.3	48.8	561	33.5	30.7	36.5
Liver	137	4.4	3.7	5.2	96	6.6	5.3	8.1	41	2.5	1.8	3.5
Pancreas	422	14.3	12.9	15.7	226	16.7	14.5	19.2	196	12.0	10.3	13.9
Lung and Bronchus	1,708	59.0	56.1	61.9	838	64.3	59.8	68.9	870	55.3	51.6	59.2
Bones and Joints	28	0.9	0.6	1.4	19	1.4	0.8	2.2	9	0.6	0.3	1.1
Melanoma of the Skin	727	23.8	22.0	25.6	422	29.9	27.0	33.1	305	19.5	17.3	21.8
Breast (invasive)	2,343	74.1	71.0	77.2	19	1.5	0.9	2.3	2,324	139.1	133.4	145.0
Cervix									83	5.3	4.2	6.6
Corpus and Uterus, NOS									525	30.5	27.9	33.3
Ovary									176	10.7	9.1	12.4
Prostate					1,666	109.4	104.0	115.0				
Testis					107	7.7	6.3	9.4				
Urinary Bladder (includes in situ)	776	26.4	24.5	28.3	580	45.0	41.3	49.0	196	11.8	10.2	13.6
Kidney and Renal Pelvis	528	17.1	15.6	18.6	361	25.2	22.6	28.0	167	10.3	8.8	12.0
Brain and Nervous System	204	6.8	5.8	7.8	110	7.6	6.2	9.2	94	6.1	4.9	7.5
Hodgkin Lymphoma	72	2.5	2.0	3.2	39	2.8	2.0	3.8	33	2.3	1.6	3.3
Non-Hodgkin Lymphoma	669	22.4	20.7	24.2	366	27.7	24.8	30.8	303	18.5	16.4	20.8
Myeloma	169	5.5	4.7	6.5	87	6.2	4.9	7.7	82	4.9	3.9	6.2
Leukemia	439	14.6	13.2	16.1	244	17.4	15.2	19.8	195	12.4	10.6	14.3
All Other Sites	1,575	52.1	49.5	54.8	681	49.5	45.7	53.5	894	55.7	52.0	59.6
Breast in situ (not in total)									742	43.5	40.4	46.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	3,438	554.1	535.0	573.7	1,786	631.6	602.0	662.5	1,652	501.1	475.8	527.5
Oral Cavity and Pharynx	104	16.9	13.7	20.6	74	25.2	19.6	32.0	30	9.2	6.1	13.5
Esophagus	51	7.7	5.7	10.3	46	15.5	11.3	20.9	5	1.1	0.3	3.2
Stomach	35	5.6	3.8	7.9	21	7.4	4.5	11.7	14	3.7	2.0	6.6
Colon and Rectum	326	51.1	45.5	57.2	181	65.7	56.2	76.4	145	39.9	33.3	47.5
Liver	35	5.1	3.5	7.3	26	8.4	5.4	12.6	9	2.2	1.0	4.7
Pancreas	88	14.2	11.3	17.7	42	15.2	10.8	20.9	46	13.0	9.4	17.7
Lung and Bronchus	635	98.1	90.4	106.2	342	119.8	107.2	133.5	293	81.1	71.8	91.4
Bones and Joints	1	0.1	0.0	1.1	1	0.3	0.0	2.2	0			
Melanoma of the Skin	157	27.0	22.7	31.9	90	31.6	25.2	39.2	67	24.5	18.6	31.8
Breast (invasive)	438	73.0	66.0	80.5	0				438	137.1	123.9	151.5
Cervix									23	9.3	5.7	14.3
Corpus and Uterus, NOS									93	28.0	22.3	34.8
Ovary									38	11.1	7.7	15.7
Prostate					404	135.8	122.7	150.0				
Testis					11	6.3	3.1	11.2				
Urinary Bladder (includes in situ)	145	21.6	18.2	25.6	115	39.8	32.8	48.0	30	8.9	5.9	13.0
Kidney and Renal Pelvis	126	20.5	17.0	24.6	66	23.9	18.4	30.7	60	17.9	13.4	23.6
Brain and Nervous System	34	6.3	4.3	9.1	25	9.9	6.3	15.0	9	2.9	1.3	5.8
Hodgkin Lymphoma	14	3.3	1.8	5.5	6	3.0	1.1	6.6	8	3.4	1.4	6.9
Non-Hodgkin Lymphoma	158	25.5	21.5	30.0	90	32.7	26.1	40.6	68	20.1	15.4	26.0
Myeloma	33	4.8	3.3	6.9	16	5.3	3.0	8.9	17	4.6	2.6	7.7
Leukemia	80	13.8	10.8	17.4	41	16.2	11.5	22.2	39	12.5	8.6	17.7
All Other Sites	409	69.3	62.4	76.8	189	69.7	59.8	80.8	220	70.5	60.8	81.5
Breast in situ (not in total)									130	44.2	36.5	53.1

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,194	488.2	476.7	499.8	3,696	552.7	534.7	571.1	3,498	445.2	430.1	460.7
Oral Cavity and Pharynx	179	11.5	9.9	13.4	132	18.3	15.3	21.8	47	5.5	4.0	7.5
Esophagus	107	7.0	5.7	8.5	86	12.7	10.1	15.7	21	2.5	1.6	4.0
Stomach	71	4.8	3.8	6.1	43	6.7	4.8	9.1	28	3.4	2.2	5.0
Colon and Rectum	643	42.9	39.6	46.5	326	48.5	43.3	54.2	317	38.7	34.4	43.3
Liver	101	6.6	5.4	8.1	73	10.2	8.0	12.9	28	3.5	2.3	5.1
Pancreas	194	12.8	11.0	14.8	97	14.9	12.0	18.3	97	11.3	9.1	13.9
Lung and Bronchus	1,236	82.3	77.7	87.1	641	96.4	88.9	104.3	595	72.4	66.6	78.6
Bones and Joints	12	1.0	0.5	1.8	10	1.7	0.8	3.1	2	0.4	0.0	1.3
Melanoma of the Skin	313	22.4	19.9	25.1	186	28.3	24.3	32.7	127	18.9	15.7	22.6
Breast (invasive)	959	66.7	62.5	71.2	5	0.8	0.3	2.0	954	124.5	116.5	133.0
Cervix									53	7.9	5.9	10.4
Corpus and Uterus, NOS									207	25.4	22.0	29.2
Ovary									90	12.0	9.6	14.9
Prostate					805	113.8	105.9	122.1				
Testis					32	5.4	3.7	7.7				
Urinary Bladder (includes in situ)	350	23.2	20.8	25.8	284	43.4	38.4	48.8	66	7.9	6.0	10.1
Kidney and Renal Pelvis	304	20.9	18.6	23.5	182	27.9	23.9	32.3	122	14.9	12.3	18.0
Brain and Nervous System	102	7.4	6.0	9.0	54	8.2	6.1	10.8	48	6.7	4.9	9.0
Hodgkin Lymphoma	40	3.4	2.4	4.7	18	3.0	1.7	4.8	22	3.8	2.4	5.8
Non-Hodgkin Lymphoma	283	19.3	17.1	21.8	162	24.9	21.2	29.2	121	14.9	12.3	18.0
Myeloma	89	5.9	4.7	7.3	39	5.7	4.1	7.9	50	6.0	4.4	7.9
Leukemia	189	13.1	11.3	15.2	117	18.6	15.3	22.3	72	8.9	6.9	11.4
All Other Sites	835	58.1	54.1	62.2	404	63.4	57.2	70.0	431	55.6	50.3	61.3
Breast in situ (not in total)									246	33.1	28.9	37.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,654	506.8	491.9	521.9	2,418	576.4	553.2	600.4	2,236	458.0	438.4	478.3
Oral Cavity and Pharynx	104	11.3	9.2	13.8	73	17.0	13.3	21.5	31	6.1	4.1	8.9
Esophagus	61	6.5	5.0	8.4	49	12.1	8.9	16.1	12	2.0	1.0	3.7
Stomach	46	4.8	3.5	6.4	33	8.1	5.6	11.5	13	2.2	1.1	3.9
Colon and Rectum	433	46.4	42.0	51.1	237	57.0	49.9	64.9	196	38.0	32.7	44.1
Liver	52	5.3	3.9	7.0	42	9.0	6.5	12.3	10	2.0	0.9	3.8
Pancreas	127	13.2	10.9	15.7	76	18.0	14.2	22.7	51	9.3	6.9	12.5
Lung and Bronchus	767	81.6	75.9	87.8	405	97.4	88.0	107.6	362	69.7	62.5	77.5
Bones and Joints	8	1.0	0.4	2.0	4	1.1	0.3	2.9	4	0.8	0.2	2.4
Melanoma of the Skin	231	27.0	23.5	30.8	132	32.9	27.4	39.1	99	23.1	18.6	28.4
Breast (invasive)	658	73.0	67.3	79.0	3	0.8	0.2	2.3	655	135.8	125.2	147.1
Cervix									24	5.8	3.6	8.8
Corpus and Uterus, NOS									135	27.1	22.6	32.4
Ovary									56	11.9	8.8	15.6
Prostate					622	137.9	127.1	149.4				
Testis					22	6.9	4.3	10.5				
Urinary Bladder (includes in situ)	234	24.5	21.4	28.0	182	43.7	37.5	50.6	52	9.8	7.2	13.0
Kidney and Renal Pelvis	174	19.7	16.8	23.0	106	25.8	21.0	31.3	68	14.7	11.3	18.9
Brain and Nervous System	71	8.8	6.8	11.1	42	11.0	7.9	14.9	29	7.2	4.8	10.5
Hodgkin Lymphoma	15	2.0	1.1	3.4	9	2.5	1.1	4.8	6	1.6	0.6	3.6
Non-Hodgkin Lymphoma	186	20.2	17.4	23.5	85	20.7	16.4	25.7	101	20.0	16.1	24.6
Myeloma	43	4.6	3.3	6.3	23	5.6	3.5	8.5	20	3.8	2.3	6.0
Leukemia	113	12.8	10.5	15.5	58	15.0	11.3	19.5	55	11.8	8.8	15.7
All Other Sites	472	53.8	48.9	59.1	215	54.0	46.9	61.9	257	55.2	48.3	62.9
Breast in situ (not in total)									180	37.9	32.4	44.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	4,023	469.0	454.2	484.3	2,036	511.2	488.8	534.5	1,987	443.8	423.5	464.9
Oral Cavity and Pharynx	116	13.3	10.9	16.1	90	21.9	17.5	27.1	26	6.1	3.9	9.2
Esophagus	52	6.0	4.5	8.0	43	10.8	7.7	14.7	9	2.2	1.0	4.3
Stomach	56	6.5	4.9	8.6	39	10.5	7.4	14.4	17	3.4	1.9	5.7
Colon and Rectum	377	43.3	38.9	48.1	204	52.0	45.0	59.9	173	36.9	31.3	43.2
Liver	48	5.5	4.0	7.4	41	10.2	7.3	14.0	7	1.5	0.6	3.4
Pancreas	110	12.6	10.3	15.3	57	14.2	10.7	18.6	53	10.7	8.0	14.3
Lung and Bronchus	597	66.9	61.6	72.7	326	81.9	73.1	91.5	271	55.8	49.1	63.1
Bones and Joints	2	0.3	0.0	1.0	1	0.2	0.0	1.5	1	0.3	0.0	1.8
Melanoma of the Skin	223	28.2	24.5	32.4	113	30.9	25.3	37.3	110	28.2	22.8	34.4
Breast (invasive)	547	65.2	59.6	71.1	2	0.4	0.1	1.8	545	122.7	112.1	134.0
Cervix									34	9.3	6.2	13.2
Corpus and Uterus, NOS									144	32.8	27.5	39.0
Ovary									52	10.5	7.8	14.1
Prostate					471	109.5	99.7	120.1				
Testis					23	8.1	5.1	12.2				
Urinary Bladder (includes in situ)	184	20.1	17.2	23.3	136	34.3	28.7	40.7	48	9.2	6.8	12.5
Kidney and Renal Pelvis	121	14.2	11.7	17.1	69	17.2	13.3	22.0	52	11.5	8.4	15.4
Brain and Nervous System	52	7.1	5.2	9.4	21	5.8	3.5	9.0	31	8.4	5.6	12.2
Hodgkin Lymphoma	24	3.5	2.2	5.3	11	3.0	1.5	5.6	13	4.0	2.1	7.0
Non-Hodgkin Lymphoma	156	18.3	15.4	21.5	90	22.8	18.2	28.3	66	14.3	11.0	18.5
Myeloma	47	5.1	3.8	6.9	29	7.0	4.7	10.2	18	3.6	2.1	5.9
Leukemia	100	12.5	10.1	15.3	56	15.5	11.6	20.2	44	10.2	7.3	14.1
All Other Sites	487	57.9	52.7	63.6	214	55.1	47.8	63.3	273	62.1	54.5	70.6
Breast in situ (not in total)									137	33.0	27.5	39.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,373	506.0	492.2	520.1	2,662	569.2	547.3	591.9	2,711	466.5	448.4	485.1
Oral Cavity and Pharynx	141	12.7	10.7	15.1	105	20.5	16.7	25.0	36	6.2	4.3	8.7
Esophagus	71	6.5	5.0	8.2	56	11.6	8.7	15.2	15	2.4	1.3	4.1
Stomach	49	4.6	3.4	6.1	29	6.1	4.0	8.9	20	3.4	2.0	5.4
Colon and Rectum	502	47.1	43.0	51.6	261	58.0	51.1	65.7	241	38.8	34.0	44.3
Liver	83	7.2	5.7	9.0	63	12.0	9.2	15.5	20	3.2	1.9	5.1
Pancreas	155	14.1	11.9	16.5	70	14.7	11.4	18.7	85	13.8	10.9	17.3
Lung and Bronchus	819	75.3	70.1	80.7	422	89.7	81.2	98.9	397	65.3	58.9	72.2
Bones and Joints	9	1.0	0.4	1.9	7	1.6	0.6	3.4	2	0.4	0.0	1.6
Melanoma of the Skin	236	24.2	21.1	27.6	121	26.8	22.1	32.2	115	23.4	19.2	28.4
Breast (invasive)	815	76.8	71.5	82.4	9	1.8	0.8	3.5	806	138.9	129.2	149.3
Cervix									43	8.3	5.9	11.4
Corpus and Uterus, NOS									162	27.3	23.2	32.1
Ovary									77	13.3	10.5	16.8
Prostate					576	116.7	107.1	126.9				
Testis					36	9.6	6.7	13.3				
Urinary Bladder (includes in situ)	266	24.4	21.5	27.6	209	45.7	39.6	52.5	57	9.1	6.8	12.0
Kidney and Renal Pelvis	249	23.5	20.6	26.7	166	35.5	30.2	41.6	83	13.9	11.0	17.4
Brain and Nervous System	62	6.3	4.8	8.2	29	6.1	4.0	8.9	33	6.6	4.5	9.4
Hodgkin Lymphoma	27	3.2	2.1	4.7	12	3.0	1.5	5.2	15	3.4	1.9	5.7
Non-Hodgkin Lymphoma	209	19.7	17.1	22.7	126	27.4	22.7	32.8	83	14.1	11.2	17.7
Myeloma	55	5.1	3.8	6.7	32	7.2	4.9	10.3	23	3.8	2.4	5.9
Leukemia	136	13.2	11.0	15.7	79	17.7	13.9	22.2	57	10.2	7.6	13.4
All Other Sites	595	58.3	53.5	63.3	254	57.6	50.6	65.4	341	60.5	53.9	67.7
Breast in situ (not in total)									207	36.9	31.9	42.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	5,232	484.2	470.9	497.7	2,648	538.3	517.5	559.7	2,584	446.5	429.0	464.6
Oral Cavity and Pharynx	146	12.8	10.8	15.1	108	19.8	16.1	24.0	38	6.5	4.6	9.1
Esophagus	82	7.6	6.1	9.5	67	14.0	10.8	17.9	15	2.5	1.4	4.2
Stomach	44	4.0	2.9	5.4	26	5.3	3.4	7.8	18	3.0	1.8	4.8
Colon and Rectum	473	43.1	39.3	47.3	229	46.7	40.7	53.3	244	39.8	34.8	45.3
Liver	49	4.4	3.2	5.8	37	6.8	4.8	9.5	12	2.1	1.1	3.8
Pancreas	133	12.4	10.3	14.7	68	14.4	11.1	18.4	65	10.6	8.1	13.6
Lung and Bronchus	819	75.1	70.0	80.5	428	89.1	80.7	98.2	391	64.9	58.5	71.8
Bones and Joints	11	1.1	0.5	1.9	6	1.4	0.5	3.0	5	0.8	0.3	2.1
Melanoma of the Skin	260	25.3	22.2	28.6	155	32.4	27.4	38.0	105	20.7	16.8	25.2
Breast (invasive)	704	66.3	61.4	71.5	4	0.9	0.2	2.3	700	124.3	115.0	134.1
Cervix									33	7.2	4.9	10.2
Corpus and Uterus, NOS									146	24.6	20.7	29.1
Ovary									65	11.3	8.6	14.5
Prostate					588	111.5	102.4	121.1				
Testis					40	9.5	6.8	13.0				
Urinary Bladder (includes in situ)	277	25.2	22.3	28.4	207	44.3	38.4	50.9	70	10.7	8.3	13.6
Kidney and Renal Pelvis	209	19.2	16.7	22.1	130	25.4	21.1	30.3	79	14.0	11.0	17.6
Brain and Nervous System	89	8.7	7.0	10.8	50	10.3	7.6	13.7	39	7.2	5.1	10.0
Hodgkin Lymphoma	28	3.2	2.1	4.6	13	3.0	1.6	5.1	15	3.4	1.9	5.6
Non-Hodgkin Lymphoma	205	19.1	16.5	21.9	117	23.9	19.7	28.8	88	14.6	11.6	18.1
Myeloma	58	5.2	3.9	6.8	31	6.8	4.6	9.7	27	4.2	2.7	6.3
Leukemia	143	13.6	11.4	16.1	80	17.6	13.9	21.9	63	10.5	8.0	13.7
All Other Sites	630	58.7	54.1	63.6	264	55.3	48.7	62.5	366	63.8	57.3	71.0
Breast in situ (not in total)									188	33.6	28.9	39.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	2,505	539.9	518.3	562.2	1,277	587.5	555.0	621.4	1,228	512.1	482.4	543.2
Oral Cavity and Pharynx	64	14.0	10.7	18.1	45	21.7	15.6	29.4	19	7.0	4.2	11.3
Esophagus	34	7.0	4.8	10.0	26	11.8	7.7	17.7	8	2.8	1.2	6.1
Stomach	34	7.6	5.2	10.8	24	11.1	7.0	16.8	10	4.6	2.1	9.0
Colon and Rectum	246	52.3	45.8	59.6	138	65.4	54.6	77.7	108	41.2	33.5	50.3
Liver	22	4.8	3.0	7.4	16	7.3	4.1	12.2	6	2.7	0.9	6.3
Pancreas	68	14.3	11.0	18.3	30	14.3	9.5	20.7	38	14.5	10.1	20.3
Lung and Bronchus	429	87.6	79.4	96.5	230	101.6	88.8	116.0	199	77.1	66.5	89.1
Bones and Joints	3	0.9	0.2	2.7	1	0.6	0.0	3.5	2	1.1	0.1	4.3
Melanoma of the Skin	95	22.1	17.7	27.3	60	28.5	21.6	37.0	35	17.6	12.0	25.1
Breast (invasive)	320	73.2	65.0	82.1	2	1.2	0.1	4.4	318	138.7	123.1	156.0
Cervix									21	10.0	6.0	15.8
Corpus and Uterus, NOS									82	32.3	25.5	40.6
Ovary									39	16.0	11.2	22.3
Prostate					296	130.7	116.1	146.9				
Testis					9	6.2	2.8	11.7				
Urinary Bladder (includes in situ)	122	25.0	20.7	30.0	94	44.1	35.6	54.2	28	11.3	7.4	16.8
Kidney and Renal Pelvis	90	20.1	16.0	25.0	62	28.3	21.6	36.6	28	12.7	8.1	18.9
Brain and Nervous System	21	5.0	3.0	7.8	8	4.0	1.6	8.2	13	5.8	2.9	10.4
Hodgkin Lymphoma	8	2.2	0.9	4.5	6	3.5	1.2	7.8	2	1.0	0.1	4.1
Non-Hodgkin Lymphoma	116	24.4	20.0	29.5	59	27.6	20.8	35.9	57	21.6	16.2	28.4
Myeloma	32	6.9	4.6	9.9	17	8.3	4.8	13.6	15	5.6	3.1	9.7
Leukemia	64	13.4	10.2	17.3	29	13.3	8.8	19.4	35	13.8	9.5	19.8
All Other Sites	290	65.7	58.1	74.1	125	58.0	48.0	69.5	165	74.4	62.8	87.6
Breast in situ (not in total)									82	36.5	28.6	46.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	13,187	493.9	485.3	502.7	6,636	550.4	536.6	564.5	6,551	456.1	444.9	467.4
Oral Cavity and Pharynx	306	11.0	9.8	12.4	233	17.5	15.2	20.0	73	5.1	4.0	6.5
Esophagus	150	5.7	4.8	6.7	123	10.4	8.5	12.5	27	1.9	1.2	2.7
Stomach	178	6.9	5.9	8.0	118	9.9	8.2	12.0	60	4.4	3.3	5.7
Colon and Rectum	1,154	44.8	42.2	47.5	651	55.8	51.4	60.5	503	35.8	32.7	39.2
Liver	141	5.1	4.2	6.0	102	7.6	6.2	9.4	39	2.7	1.9	3.7
Pancreas	385	14.9	13.4	16.5	195	16.3	14.0	18.9	190	13.5	11.7	15.7
Lung and Bronchus	1,841	73.4	70.0	77.0	975	88.2	82.5	94.2	866	62.9	58.7	67.4
Bones and Joints	33	1.2	0.8	1.7	17	1.3	0.7	2.1	16	1.2	0.7	2.0
Melanoma of the Skin	483	17.6	16.0	19.3	257	20.9	18.3	23.8	226	15.5	13.5	17.7
Breast (invasive)	1,909	68.2	65.1	71.5	9	0.7	0.3	1.4	1,900	128.8	123.0	134.8
Cervix									91	6.3	5.0	7.7
Corpus and Uterus, NOS									441	28.9	26.2	31.8
Ovary									170	11.7	10.0	13.6
Prostate					1,607	121.8	115.6	128.2				
Testis					86	6.5	5.2	8.0				
Urinary Bladder (includes in situ)	641	25.7	23.7	27.9	488	45.0	41.0	49.4	153	11.1	9.4	13.0
Kidney and Renal Pelvis	476	17.4	15.8	19.0	285	22.1	19.5	24.9	191	13.2	11.4	15.3
Brain and Nervous System	200	7.3	6.3	8.4	106	8.1	6.6	9.9	94	6.6	5.3	8.1
Hodgkin Lymphoma	84	3.1	2.5	3.9	43	3.2	2.3	4.4	41	3.0	2.2	4.1
Non-Hodgkin Lymphoma	560	21.6	19.8	23.5	299	25.8	22.8	29.0	261	18.4	16.2	20.8
Myeloma	139	5.3	4.5	6.3	74	6.0	4.7	7.6	65	4.7	3.6	6.0
Leukemia	409	15.7	14.2	17.3	234	19.8	17.3	22.7	175	12.3	10.5	14.3
All Other Sites	1,703	64.2	61.1	67.4	734	63.3	58.6	68.3	969	67.9	63.6	72.4
Breast in situ (not in total)									577	38.4	35.3	41.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, White, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	7,197	476.3	465.1	487.7	3,622	523.5	506.2	541.2	3,575	445.5	430.6	460.9
Oral Cavity and Pharynx	177	11.4	9.8	13.3	126	17.4	14.4	20.8	51	6.3	4.7	8.4
Esophagus	74	4.7	3.7	6.0	57	7.9	5.9	10.3	17	2.0	1.2	3.3
Stomach	79	5.1	4.0	6.4	54	7.7	5.8	10.2	25	3.1	2.0	4.7
Colon and Rectum	617	40.2	37.0	43.6	298	43.5	38.6	48.9	319	37.4	33.3	41.9
Liver	86	5.4	4.3	6.8	66	9.0	6.9	11.5	20	2.3	1.4	3.6
Pancreas	215	13.5	11.7	15.4	101	14.2	11.5	17.4	114	12.6	10.3	15.2
Lung and Bronchus	1,152	74.7	70.4	79.2	600	86.4	79.5	93.7	552	66.2	60.7	72.1
Bones and Joints	9	0.6	0.3	1.3	5	0.7	0.2	1.8	4	0.6	0.2	1.6
Melanoma of the Skin	377	26.6	23.9	29.5	216	32.5	28.2	37.3	161	22.9	19.3	26.8
Breast (invasive)	943	63.4	59.3	67.7	8	1.1	0.5	2.3	935	118.4	110.7	126.5
Cervix									58	8.8	6.6	11.5
Corpus and Uterus, NOS									242	29.2	25.5	33.2
Ovary									99	11.9	9.6	14.6
Prostate					730	99.9	92.6	107.6				
Testis					36	6.4	4.5	8.9				
Urinary Bladder (includes in situ)	360	23.2	20.9	25.8	270	40.5	35.7	45.7	90	9.9	8.0	12.3
Kidney and Renal Pelvis	272	18.2	16.1	20.6	172	24.9	21.2	29.0	100	12.7	10.3	15.6
Brain and Nervous System	73	5.1	3.9	6.4	44	6.2	4.5	8.4	29	3.8	2.5	5.6
Hodgkin Lymphoma	34	2.7	1.9	3.8	21	3.2	2.0	5.0	13	2.4	1.3	4.0
Non-Hodgkin Lymphoma	323	21.4	19.1	23.9	180	26.9	23.1	31.3	143	16.8	14.1	20.0
Myeloma	88	5.7	4.5	7.0	49	7.0	5.1	9.3	39	4.5	3.2	6.3
Leukemia	241	16.6	14.5	18.9	140	21.3	17.9	25.2	101	13.1	10.6	16.1
All Other Sites	912	62.7	58.6	67.0	449	66.8	60.7	73.5	463	60.6	55.0	66.6
Breast in situ (not in total)									240	32.5	28.4	37.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Illinois

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	43,846	498.2	493.5	503.0	21,775	596.2	587.9	604.6	22,071	434.7	428.9	440.5
Oral Cavity and Pharynx	1,068	11.5	10.8	12.2	740	18.7	17.3	20.2	328	6.3	5.6	7.0
Esophagus	466	5.2	4.7	5.7	313	8.5	7.5	9.5	153	2.9	2.5	3.5
Stomach	946	11.3	10.5	12.0	544	16.1	14.7	17.5	402	8.1	7.3	8.9
Colon and Rectum	4,876	56.9	55.2	58.5	2,410	68.5	65.6	71.4	2,466	49.0	47.0	51.0
Liver	776	8.2	7.6	8.8	580	14.2	13.0	15.5	196	3.8	3.2	4.3
Pancreas	1,353	16.2	15.3	17.1	625	18.1	16.6	19.7	728	14.8	13.7	15.9
Lung and Bronchus	6,682	78.2	76.3	80.1	3,460	99.7	96.2	103.2	3,222	64.2	61.9	66.4
Bones and Joints	73	0.8	0.6	1.0	36	0.8	0.6	1.2	37	0.7	0.5	1.0
Melanoma of the Skin	70	0.8	0.6	1.0	31	0.9	0.6	1.4	39	0.8	0.5	1.0
Breast (invasive)	6,647	74.7	72.9	76.6	76	2.2	1.7	2.7	6,571	128.1	125.0	131.3
Cervix									585	11.5	10.5	12.4
Corpus and Uterus, NOS									1,348	25.6	24.3	27.1
Ovary									534	10.5	9.6	11.5
Prostate					7,333	193.8	189.2	198.5				
Testis					53	1.2	0.9	1.6				
Urinary Bladder (includes in situ)	1,019	12.6	11.9	13.5	653	20.4	18.8	22.1	366	7.7	6.9	8.5
Kidney and Renal Pelvis	1,644	18.3	17.4	19.2	984	25.6	23.9	27.3	660	13.0	12.0	14.0
Brain and Nervous System	345	3.8	3.4	4.2	195	4.7	4.0	5.4	150	3.0	2.5	3.5
Hodgkin Lymphoma	273	2.8	2.5	3.2	144	3.3	2.8	3.9	129	2.5	2.0	2.9
Non-Hodgkin Lymphoma	1,168	13.2	12.4	14.0	597	15.8	14.5	17.2	571	11.4	10.4	12.4
Myeloma	972	11.5	10.7	12.2	469	13.4	12.1	14.7	503	10.1	9.2	11.0
Leukemia	979	11.4	10.6	12.1	527	14.8	13.5	16.2	452	9.0	8.2	9.9
All Other Sites	4,636	53.1	51.5	54.7	2,005	55.6	53.1	58.2	2,631	51.9	49.9	54.0
Breast in situ (not in total)									1,863	35.9	34.2	37.5

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Champaign

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	414	498.0	448.1	551.5	200	545.8	465.8	634.8	214	459.8	397.5	528.6
Oral Cavity and Pharynx	9	8.5	3.8	16.5	6	12.9	4.6	29.6	3	4.8	1.0	14.6
Esophagus	3	4.4	0.8	12.3	2	5.3	0.6	19.8	1	3.0	0.1	13.9
Stomach	13	16.7	8.4	29.1	5	16.6	4.7	39.5	8	17.3	7.1	34.4
Colon and Rectum	39	54.0	37.6	74.5	21	64.2	37.5	101.0	18	45.7	26.6	71.8
Liver	7	7.4	2.7	15.9	7	17.2	6.1	37.6	0			
Pancreas	14	14.5	7.6	24.9	5	9.6	3.1	24.5	9	18.0	7.8	34.6
Lung and Bronchus	73	99.8	76.9	126.7	38	118.6	80.2	167.5	35	86.3	59.1	120.6
Bones and Joints	0				0				0			
Melanoma of the Skin	1	2.1	0.1	9.2	0				1	2.9	0.1	13.5
Breast (invasive)	59	67.4	50.7	87.7	0				59	120.0	90.5	155.6
Cervix									2	3.0	0.4	11.9
Corpus and Uterus, NOS									10	20.6	9.5	38.3
Ovary									7	12.6	4.8	26.6
Prostate					64	159.2	120.2	206.6				
Testis					0							
Urinary Bladder (includes in situ)	11	15.1	7.0	27.4	6	18.1	5.7	41.1	5	12.1	3.6	27.9
Kidney and Renal Pelvis	13	14.5	7.1	25.8	7	22.4	8.0	47.6	6	9.5	2.9	22.6
Brain and Nervous System	3	3.7	0.6	11.1	2	3.4	0.4	15.9	1	2.9	0.1	13.5
Hodgkin Lymphoma	2	1.4	0.1	6.4	1	2.3	0.1	14.7	1	0.6	0.0	7.8
Non-Hodgkin Lymphoma	7	7.9	3.1	16.3	4	11.4	2.9	29.8	3	5.3	1.1	15.9
Myeloma	12	12.4	6.2	22.1	8	18.8	7.6	38.9	4	7.6	2.0	19.5
Leukemia	8	9.4	3.8	18.8	4	11.9	2.5	32.2	4	8.5	2.2	21.6
All Other Sites	57	69.3	51.6	90.9	20	54.0	31.7	85.3	37	79.3	54.7	110.4
Breast in situ (not in total)									16	32.6	18.2	53.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Cook

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	33,188	501.5	496.0	507.0	16,144	599.0	589.5	608.7	17,044	439.2	432.5	445.9
Oral Cavity and Pharynx	835	12.2	11.3	13.0	571	19.9	18.3	21.7	264	6.7	5.9	7.6
Esophagus	358	5.2	4.7	5.8	233	8.5	7.4	9.7	125	3.1	2.6	3.7
Stomach	741	11.6	10.8	12.5	421	16.9	15.2	18.6	320	8.3	7.4	9.2
Colon and Rectum	3,760	57.8	55.9	59.7	1,813	69.5	66.2	72.9	1,947	49.9	47.7	52.2
Liver	574	8.1	7.5	8.9	416	14.0	12.7	15.5	158	4.0	3.4	4.7
Pancreas	1,032	16.1	15.1	17.2	458	17.7	16.1	19.5	574	14.9	13.7	16.2
Lung and Bronchus	5,096	77.7	75.5	79.9	2,592	99.3	95.4	103.3	2,504	63.9	61.4	66.5
Bones and Joints	54	0.8	0.6	1.1	26	0.9	0.6	1.3	28	0.8	0.5	1.1
Melanoma of the Skin	46	0.7	0.5	1.0	19	0.8	0.5	1.2	27	0.7	0.5	1.0
Breast (invasive)	5,123	77.7	75.5	79.9	59	2.3	1.8	3.0	5,064	130.5	126.9	134.2
Cervix									468	12.5	11.4	13.7
Corpus and Uterus, NOS									1,058	26.2	24.7	27.9
Ovary									418	10.9	9.8	12.0
Prostate					5,453	194.9	189.6	200.3				
Testis					38	1.3	0.9	1.8				
Urinary Bladder (includes in situ)	778	12.5	11.7	13.5	483	20.0	18.2	21.9	295	7.8	7.0	8.8
Kidney and Renal Pelvis	1,168	17.5	16.5	18.6	689	24.7	22.9	26.7	479	12.4	11.3	13.5
Brain and Nervous System	259	3.9	3.5	4.4	139	4.7	4.0	5.6	120	3.3	2.7	3.9
Hodgkin Lymphoma	192	2.9	2.5	3.4	100	3.5	2.9	4.3	92	2.5	2.0	3.0
Non-Hodgkin Lymphoma	867	13.3	12.4	14.3	431	16.0	14.5	17.6	436	11.5	10.4	12.6
Myeloma	729	11.4	10.5	12.2	338	13.0	11.6	14.6	391	10.2	9.2	11.2
Leukemia	722	11.3	10.5	12.2	377	14.6	13.1	16.2	345	9.0	8.1	10.1
All Other Sites	3,419	52.4	50.6	54.2	1,488	56.3	53.4	59.4	1,931	50.1	47.9	52.4
Breast in situ (not in total)									1,428	36.0	34.2	38.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

DuPage

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	679	466.6	426.7	509.0	309	547.3	474.9	626.6	370	417.1	370.2	468.0
Oral Cavity and Pharynx	10	7.3	3.0	14.4	9	17.4	6.4	36.1	1	0.8	0.0	5.8
Esophagus	11	11.8	5.4	21.5	6	14.9	4.4	34.0	5	9.3	2.8	21.1
Stomach	11	8.1	3.5	15.4	3	3.6	0.7	12.8	8	10.6	4.1	21.7
Colon and Rectum	83	59.9	45.8	76.6	40	69.2	45.2	100.2	43	53.2	36.7	74.0
Liver	10	5.9	2.6	11.5	7	8.3	2.9	19.7	3	4.0	0.8	11.4
Pancreas	11	10.2	4.5	19.0	2	6.1	0.5	20.9	9	12.6	5.1	24.9
Lung and Bronchus	65	50.0	36.9	65.8	38	84.0	54.7	121.5	27	30.3	18.7	45.9
Bones and Joints	2	2.0	0.1	7.4	1	0.7	0.0	8.7	1	2.3	0.1	10.3
Melanoma of the Skin	0				0				0			
Breast (invasive)	122	72.7	58.8	88.9	0				122	124.7	101.2	151.9
Cervix									9	8.6	3.4	17.7
Corpus and Uterus, NOS									26	32.6	19.8	49.7
Ovary									6	8.0	2.4	18.3
Prostate					124	210.6	169.4	258.0				
Testis					0							
Urinary Bladder (includes in situ)	5	4.0	1.1	9.7	2	5.4	0.4	19.9	3	3.5	0.7	10.4
Kidney and Renal Pelvis	29	20.4	12.6	30.8	17	35.9	17.4	63.0	12	12.3	5.9	22.6
Brain and Nervous System	3	1.0	0.2	4.1	1	0.7	0.0	8.6	2	1.4	0.2	6.6
Hodgkin Lymphoma	6	2.1	0.8	5.6	5	4.1	1.3	12.7	1	0.6	0.0	5.4
Non-Hodgkin Lymphoma	24	13.7	8.2	21.4	8	13.8	4.1	31.6	16	15.1	8.0	25.9
Myeloma	16	10.7	5.5	18.4	6	7.8	2.5	19.3	10	11.9	5.0	23.1
Leukemia	20	11.7	6.4	19.5	9	12.4	4.3	27.4	11	11.6	5.1	22.3
All Other Sites	86	58.8	45.2	75.0	31	52.6	32.1	80.1	55	64.0	46.2	85.9
Breast in situ (not in total)									46	42.6	30.3	58.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Kane

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	462	419.0	377.9	463.1	244	512.4	439.7	592.7	218	353.2	305.0	406.5
Oral Cavity and Pharynx	14	11.9	6.2	20.6	10	18.7	8.3	36.4	4	6.2	1.5	16.4
Esophagus	1	0.7	0.0	4.6	1	1.4	0.0	11.0	0			
Stomach	6	4.3	1.6	9.8	4	6.0	1.6	17.5	2	2.9	0.3	10.8
Colon and Rectum	41	38.2	26.4	53.2	22	44.0	25.8	69.6	19	32.4	18.7	51.7
Liver	7	5.4	2.1	11.5	6	10.4	3.6	24.3	1	1.2	0.0	7.9
Pancreas	13	10.2	5.3	17.8	9	14.7	6.5	29.6	4	6.1	1.6	15.9
Lung and Bronchus	66	70.8	53.2	91.9	29	67.7	41.0	103.4	37	74.6	51.2	104.0
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	74	60.4	46.4	77.2	1	1.4	0.0	11.0	73	108.3	83.8	137.5
Cervix									8	11.0	4.7	22.2
Corpus and Uterus, NOS									12	19.7	9.7	35.2
Ovary									6	9.0	3.2	19.9
Prostate					96	194.9	152.1	245.2				
Testis					1	1.0	0.0	10.3				
Urinary Bladder (includes in situ)	12	14.5	6.8	26.1	9	28.1	10.9	55.7	3	5.4	0.9	16.1
Kidney and Renal Pelvis	23	19.1	11.6	29.5	15	29.5	14.7	51.9	8	11.5	4.9	23.0
Brain and Nervous System	7	6.4	2.2	13.9	4	11.0	1.8	31.1	3	4.1	0.8	12.7
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	17	14.6	8.2	23.9	9	16.7	7.1	33.4	8	13.1	5.4	26.4
Myeloma	9	9.3	3.8	18.2	6	17.2	5.3	38.7	3	4.0	0.8	12.3
Leukemia	5	3.5	1.0	9.0	3	3.4	0.7	13.4	2	3.4	0.4	12.2
All Other Sites	44	43.1	30.0	59.4	19	46.2	25.9	75.0	25	40.4	25.1	61.3
Breast in situ (not in total)									22	33.7	20.4	52.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Kankakee

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	385	523.7	471.0	580.4	218	663.8	573.3	763.8	167	414.3	352.6	483.3
Oral Cavity and Pharynx	8	9.1	3.8	18.4	4	10.9	2.6	29.4	4	7.9	2.2	21.0
Esophagus	4	4.2	1.2	11.3	3	6.7	1.4	21.2	1	2.1	0.1	12.3
Stomach	15	18.6	10.2	31.0	10	25.7	12.0	48.5	5	12.0	3.7	28.2
Colon and Rectum	35	49.1	33.8	68.6	20	64.1	38.1	100.2	15	36.4	20.1	60.4
Liver	6	6.8	2.4	15.1	5	12.4	3.9	30.0	1	1.9	0.0	11.7
Pancreas	9	13.7	6.1	25.9	4	16.3	3.9	41.2	5	13.3	4.2	30.6
Lung and Bronchus	54	80.0	59.5	104.8	31	101.3	67.4	145.3	23	61.9	38.9	93.0
Bones and Joints	1	1.9	0.0	9.0	0				1	3.3	0.1	15.8
Melanoma of the Skin	0				0				0			
Breast (invasive)	49	67.0	49.1	89.0	1	3.0	0.1	16.7	48	118.6	87.0	157.8
Cervix									6	13.4	4.9	29.5
Corpus and Uterus, NOS									14	33.9	18.2	57.1
Ovary									2	5.0	0.6	17.9
Prostate					75	214.1	166.4	271.0				
Testis					1	2.3	0.1	14.9				
Urinary Bladder (includes in situ)	14	20.4	10.9	34.4	10	34.8	15.3	65.8	4	11.1	2.9	27.7
Kidney and Renal Pelvis	17	23.2	13.3	37.4	12	34.8	17.5	61.7	5	12.6	3.9	29.3
Brain and Nervous System	1	1.2	0.0	7.0	0				1	2.4	0.1	13.1
Hodgkin Lymphoma	2	1.8	0.2	7.5	1	1.8	0.0	13.8	1	1.7	0.0	11.4
Non-Hodgkin Lymphoma	11	15.1	7.4	27.1	7	24.6	9.1	51.3	4	9.0	2.4	23.4
Myeloma	6	9.6	3.4	20.7	5	22.0	6.3	50.8	1	2.8	0.1	14.5
Leukemia	10	13.1	6.1	24.3	6	16.6	5.6	37.7	4	10.4	2.8	26.2
All Other Sites	45	62.5	45.0	84.2	23	72.1	44.2	110.2	22	54.7	33.9	83.1
Breast in situ (not in total)									9	21.8	9.8	41.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Lake

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	911	468.7	436.8	502.2	466	540.1	486.0	598.2	445	415.9	376.7	457.8
Oral Cavity and Pharynx	26	11.7	7.4	17.4	17	15.9	8.8	26.6	9	7.7	3.4	14.7
Esophagus	15	8.8	4.7	14.7	12	16.8	7.7	30.8	3	3.4	0.7	9.4
Stomach	19	10.3	6.0	16.3	14	17.5	8.6	31.0	5	5.2	1.6	12.1
Colon and Rectum	89	48.5	38.3	60.3	45	60.0	41.2	83.5	44	43.3	31.0	58.5
Liver	17	7.7	4.3	12.5	14	13.9	7.1	24.6	3	2.6	0.5	7.6
Pancreas	43	23.7	16.8	32.4	20	19.4	11.3	31.1	23	25.2	15.8	37.9
Lung and Bronchus	125	70.8	58.2	85.0	67	89.3	67.3	115.6	58	57.1	42.9	74.2
Bones and Joints	3	0.8	0.2	2.9	2	1.0	0.1	5.8	1	0.6	0.0	4.1
Melanoma of the Skin	3	1.5	0.3	4.6	1	0.7	0.0	5.8	2	2.0	0.2	7.2
Breast (invasive)	147	72.8	60.8	86.3	6	9.9	3.3	21.4	141	124.1	103.8	147.1
Cervix									6	4.3	1.6	9.6
Corpus and Uterus, NOS									25	23.3	14.8	34.7
Ovary									10	8.0	3.7	15.1
Prostate					149	160.2	133.2	190.8				
Testis					1	0.5	0.0	5.3				
Urinary Bladder (includes in situ)	21	14.4	8.7	21.9	14	23.0	11.9	39.2	7	8.6	3.4	17.2
Kidney and Renal Pelvis	32	14.1	9.4	20.2	23	21.5	12.6	34.2	9	8.2	3.7	15.6
Brain and Nervous System	10	4.7	2.1	8.9	8	7.4	3.0	15.7	2	1.8	0.2	6.7
Hodgkin Lymphoma	6	2.7	0.9	6.1	4	3.0	0.8	9.0	2	2.0	0.2	7.1
Non-Hodgkin Lymphoma	20	9.8	5.8	15.5	8	6.9	2.9	14.5	12	11.8	5.9	20.8
Myeloma	26	14.8	9.4	22.0	11	13.9	6.5	25.5	15	15.1	8.2	25.0
Leukemia	14	8.0	4.2	13.7	8	10.5	3.7	22.3	6	6.5	2.3	14.0
All Other Sites	104	51.6	41.6	63.3	42	48.8	33.3	68.5	62	55.1	41.8	71.1
Breast in situ (not in total)									41	38.1	27.0	52.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Macon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	409	533.2	480.3	589.9	228	716.3	615.9	827.2	181	417.4	357.2	484.4
Oral Cavity and Pharynx	8	11.7	4.7	23.3	7	27.0	9.6	56.9	1	2.0	0.1	11.6
Esophagus	4	4.0	1.1	10.8	3	6.4	1.3	21.2	1	2.0	0.1	11.6
Stomach	5	7.0	2.1	16.3	5	16.5	4.7	39.7	0			
Colon and Rectum	34	44.9	30.6	63.3	15	61.1	31.0	104.5	19	42.4	25.2	66.7
Liver	3	3.5	0.7	10.4	3	7.4	1.4	23.5	0			
Pancreas	9	15.0	6.6	28.0	1	2.5	0.1	15.8	8	22.7	9.7	43.8
Lung and Bronchus	64	90.3	68.6	116.2	40	139.4	95.0	195.4	24	61.3	38.9	91.3
Bones and Joints	0				0				0			
Melanoma of the Skin	1	0.9	0.0	5.9	1	1.9	0.0	14.6	0			
Breast (invasive)	46	56.4	40.8	75.9	1	2.1	0.1	15.0	45	98.8	71.5	132.8
Cervix									3	7.0	1.4	20.1
Corpus and Uterus, NOS									10	22.8	10.6	42.3
Ovary									4	7.4	2.0	19.8
Prostate					80	234.2	181.4	296.8				
Testis					0							
Urinary Bladder (includes in situ)	10	15.0	6.9	27.6	9	33.8	13.8	66.2	1	3.4	0.1	15.7
Kidney and Renal Pelvis	21	24.3	14.6	37.8	14	37.8	19.2	66.3	7	14.4	5.6	30.1
Brain and Nervous System	0				0				0			
Hodgkin Lymphoma	5	5.4	1.6	13.1	3	6.3	1.1	21.3	2	4.4	0.5	16.0
Non-Hodgkin Lymphoma	18	25.4	14.6	40.6	8	19.9	8.4	40.6	10	27.7	13.0	50.3
Myeloma	9	12.2	5.4	23.4	4	10.9	2.8	29.0	5	11.5	3.5	26.9
Leukemia	10	12.5	5.7	23.4	5	15.7	4.4	38.4	5	9.8	3.1	23.4
All Other Sites	65	82.1	62.6	105.5	29	93.3	59.1	138.6	36	79.7	55.3	110.9
Breast in situ (not in total)									9	22.8	10.2	43.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Madison

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	476	588.0	534.0	645.7	237	696.9	603.5	799.7	239	520.7	454.4	593.4
Oral Cavity and Pharynx	10	11.2	5.2	20.8	5	11.2	3.6	27.2	5	11.0	3.4	25.5
Esophagus	4	4.7	1.2	11.9	3	6.7	1.4	20.8	1	2.2	0.1	11.5
Stomach	4	5.5	1.4	13.7	3	13.4	2.4	36.9	1	1.6	0.0	9.9
Colon and Rectum	43	55.2	39.2	74.9	20	56.7	33.1	89.7	23	52.9	32.9	79.8
Liver	6	6.4	2.3	14.1	3	6.6	1.3	20.6	3	6.4	1.3	18.4
Pancreas	12	13.7	6.8	24.4	5	9.7	3.1	24.4	7	16.2	6.2	33.3
Lung and Bronchus	82	114.3	90.0	142.6	39	138.1	94.8	192.3	43	108.2	77.4	146.2
Bones and Joints	0				0				0			
Melanoma of the Skin	1	1.9	0.0	8.5	1	4.3	0.1	20.2	0			
Breast (invasive)	64	72.4	55.1	93.1	0				64	126.1	96.5	161.8
Cervix									6	11.8	4.1	26.1
Corpus and Uterus, NOS									8	18.6	7.8	36.5
Ovary									4	6.1	1.7	16.6
Prostate					85	238.6	187.3	298.9				
Testis					0							
Urinary Bladder (includes in situ)	11	13.8	6.6	24.9	8	24.4	9.3	50.0	3	7.3	1.5	20.4
Kidney and Renal Pelvis	28	34.0	22.1	49.7	13	35.0	18.0	60.9	15	32.6	17.8	54.2
Brain and Nervous System	8	8.7	3.5	17.6	6	12.9	4.3	30.2	2	4.9	0.5	16.9
Hodgkin Lymphoma	2	1.8	0.2	7.1	2	4.2	0.5	16.8	0			
Non-Hodgkin Lymphoma	12	13.2	6.6	23.4	9	25.0	10.8	48.6	3	4.3	0.9	13.8
Myeloma	11	14.4	6.9	25.9	4	11.7	2.6	31.0	7	16.3	6.2	33.6
Leukemia	14	17.9	9.4	30.4	6	24.9	8.4	53.3	8	15.1	6.3	30.3
All Other Sites	61	76.3	57.7	98.7	25	73.6	45.4	111.4	36	79.2	54.7	110.2
Breast in situ (not in total)									14	29.0	15.5	49.0

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Peoria

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	677	556.9	513.1	603.2	362	686.7	611.4	768.2	315	461.3	409.4	517.7
Oral Cavity and Pharynx	17	12.0	6.7	19.8	14	21.7	11.2	37.8	3	4.5	0.8	13.3
Esophagus	8	7.5	3.1	14.7	6	12.4	4.2	27.4	2	3.8	0.4	12.6
Stomach	11	10.4	5.0	18.7	8	16.1	6.5	32.3	3	5.9	1.1	16.2
Colon and Rectum	66	58.2	44.2	74.8	36	74.1	49.8	105.1	30	47.7	31.5	68.5
Liver	15	9.8	5.4	16.6	8	12.6	4.8	26.4	7	8.2	3.2	17.2
Pancreas	19	17.2	10.0	27.2	11	20.5	9.5	37.8	8	13.9	5.7	27.2
Lung and Bronchus	121	106.2	86.9	128.1	72	145.5	110.9	186.6	49	76.3	55.6	101.8
Bones and Joints	1	0.4	0.0	3.4	0				1	0.8	0.0	6.1
Melanoma of the Skin	1	0.5	0.0	3.7	0				1	1.0	0.0	6.6
Breast (invasive)	99	83.0	66.5	102.0	1	1.4	0.0	9.3	98	144.7	116.2	177.6
Cervix									10	13.4	6.2	25.0
Corpus and Uterus, NOS									24	33.9	21.3	50.9
Ovary									3	5.0	0.9	14.2
Prostate					112	209.1	169.2	255.1				
Testis					1	1.9	0.0	10.4				
Urinary Bladder (includes in situ)	11	9.8	4.7	17.8	10	23.7	10.4	44.5	1	1.2	0.0	7.0
Kidney and Renal Pelvis	39	29.6	20.6	41.0	17	32.4	17.9	53.3	22	28.3	17.4	43.3
Brain and Nervous System	5	2.4	0.8	6.2	2	2.5	0.3	10.7	3	2.5	0.5	8.5
Hodgkin Lymphoma	4	2.2	0.6	6.3	3	3.1	0.6	11.3	1	1.4	0.0	7.8
Non-Hodgkin Lymphoma	20	17.2	10.2	26.9	12	25.0	12.4	44.1	8	10.9	4.5	21.9
Myeloma	16	13.6	7.5	22.2	11	20.3	9.7	37.1	5	8.2	2.5	19.0
Leukemia	10	6.5	3.0	12.4	8	10.0	4.2	21.1	2	3.5	0.4	11.9
All Other Sites	64	49.3	37.3	63.8	30	54.4	35.1	80.0	34	46.3	31.4	65.6
Breast in situ (not in total)									29	40.0	26.2	58.3

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Rock Island

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	252	470.4	411.9	534.5	148	566.7	472.9	672.6	104	380.1	308.7	462.1
Oral Cavity and Pharynx	7	12.7	5.0	26.1	5	16.2	5.1	39.1	2	8.3	1.0	27.8
Esophagus	4	7.6	1.9	19.3	2	6.3	0.7	24.4	2	7.8	0.9	26.6
Stomach	4	9.0	2.3	22.1	0				4	15.7	4.2	38.9
Colon and Rectum	32	59.7	40.1	85.0	23	86.3	52.9	132.0	9	34.7	15.7	64.9
Liver	8	14.9	6.2	29.4	8	32.2	12.9	64.9	0			
Pancreas	6	11.3	3.9	24.7	4	23.1	5.1	58.9	2	4.9	0.6	19.5
Lung and Bronchus	38	72.3	50.5	99.8	22	88.7	54.0	136.2	16	56.4	31.6	92.0
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	24	47.0	29.6	70.3	0				24	88.6	56.1	131.9
Cervix									2	6.8	0.8	24.2
Corpus and Uterus, NOS									9	30.3	13.5	57.9
Ovary									1	4.7	0.1	22.1
Prostate					45	174.1	123.7	236.9				
Testis					1	3.0	0.1	19.3				
Urinary Bladder (includes in situ)	9	19.7	8.7	37.0	3	13.9	2.4	40.2	6	23.5	8.4	50.2
Kidney and Renal Pelvis	12	22.6	11.2	39.8	7	27.8	10.5	58.3	5	17.8	5.3	41.7
Brain and Nervous System	1	1.8	0.0	9.6	1	3.1	0.1	19.6	0			
Hodgkin Lymphoma	0				0				0			
Non-Hodgkin Lymphoma	5	8.4	2.6	19.9	4	11.9	3.2	32.2	1	4.7	0.1	22.1
Myeloma	7	10.7	4.3	22.2	7	22.1	8.8	46.7	0			
Leukemia	5	9.6	3.0	22.3	3	10.8	2.2	32.1	2	7.1	0.7	25.3
All Other Sites	32	59.6	39.9	85.0	13	47.1	23.4	83.6	19	68.9	40.7	107.9
Breast in situ (not in total)									12	39.9	20.3	69.9

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Sangamon

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	496	591.6	537.1	649.8	250	721.6	622.3	830.8	246	519.9	453.8	592.2
Oral Cavity and Pharynx	8	7.5	3.2	15.1	7	13.4	5.4	29.6	1	2.2	0.1	11.4
Esophagus	3	2.5	0.5	7.9	3	5.4	1.1	18.7	0			
Stomach	8	8.1	3.4	16.4	5	14.7	3.4	38.0	3	5.4	1.1	16.0
Colon and Rectum	56	70.5	52.1	92.9	28	86.4	53.6	129.9	28	62.5	40.6	91.1
Liver	12	12.8	6.3	22.9	8	21.3	8.2	44.1	4	6.4	1.7	17.1
Pancreas	16	22.4	12.3	36.7	9	34.9	14.6	67.2	7	15.1	5.7	31.4
Lung and Bronchus	87	115.0	90.8	143.2	46	159.9	111.9	219.3	41	92.4	65.2	126.3
Bones and Joints	0				0				0			
Melanoma of the Skin	0				0				0			
Breast (invasive)	68	83.1	63.1	106.9	1	1.9	0.0	13.9	67	142.6	109.0	182.6
Cervix									8	13.8	5.9	27.7
Corpus and Uterus, NOS									14	30.5	16.0	51.8
Ovary									6	13.2	4.6	28.6
Prostate					60	159.7	118.5	209.8				
Testis					0							
Urinary Bladder (includes in situ)	19	23.0	13.4	36.4	15	52.4	25.8	91.4	4	8.7	2.2	22.3
Kidney and Renal Pelvis	25	26.4	16.4	39.9	13	28.4	14.8	50.1	12	22.7	11.1	40.8
Brain and Nervous System	6	4.5	1.6	10.6	5	7.5	2.3	21.1	1	1.7	0.0	10.0
Hodgkin Lymphoma	7	5.9	2.3	12.8	1	1.9	0.0	13.9	6	9.3	3.3	21.2
Non-Hodgkin Lymphoma	15	18.0	9.6	30.3	7	18.7	6.4	41.0	8	17.3	7.2	34.1
Myeloma	12	12.9	6.5	22.9	5	13.4	4.0	32.7	7	12.7	5.0	26.5
Leukemia	14	14.9	7.6	26.0	9	18.8	8.0	38.1	5	10.9	3.2	25.9
All Other Sites	52	61.4	44.9	81.8	28	83.0	50.2	126.9	24	52.6	32.9	78.9
Breast in situ (not in total)									26	58.5	37.3	86.6

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

St Clair

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,720	479.2	456.2	503.0	839	565.8	525.8	607.9	881	423.6	395.7	453.0
Oral Cavity and Pharynx	42	11.5	8.2	15.6	31	20.6	13.7	29.6	11	5.2	2.6	9.3
Esophagus	19	5.4	3.2	8.4	14	9.7	5.1	16.4	5	2.4	0.7	5.6
Stomach	34	10.4	7.2	14.6	17	12.6	7.0	20.5	17	8.7	5.1	13.9
Colon and Rectum	191	54.2	46.6	62.7	91	60.3	47.9	74.8	100	49.6	40.2	60.5
Liver	26	6.8	4.4	10.1	20	12.6	7.5	19.8	6	2.6	0.9	5.8
Pancreas	52	15.4	11.4	20.3	25	18.2	11.4	27.4	27	13.4	8.7	19.5
Lung and Bronchus	269	77.7	68.4	87.8	143	101.3	84.4	120.4	126	62.8	52.1	74.9
Bones and Joints	4	0.9	0.2	2.3	3	1.3	0.3	4.5	1	0.4	0.0	2.5
Melanoma of the Skin	2	0.7	0.1	2.3	2	1.6	0.2	5.6	0			
Breast (invasive)	265	72.0	63.4	81.4	2	1.1	0.1	4.3	263	123.1	108.5	139.1
Cervix									25	11.4	7.3	16.9
Corpus and Uterus, NOS									55	25.6	19.2	33.4
Ovary									20	9.7	5.9	15.1
Prostate					278	183.0	160.9	207.2				
Testis					2	1.1	0.1	4.3				
Urinary Bladder (includes in situ)	41	12.2	8.7	16.6	27	19.3	12.3	28.6	14	7.3	4.0	12.3
Kidney and Renal Pelvis	77	20.6	16.1	25.9	46	28.1	20.2	38.0	31	14.7	9.9	20.9
Brain and Nervous System	12	3.4	1.7	6.0	3	2.2	0.4	6.5	9	4.4	2.0	8.4
Hodgkin Lymphoma	11	2.8	1.4	5.0	5	2.6	0.8	6.3	6	2.9	1.0	6.2
Non-Hodgkin Lymphoma	48	12.6	9.2	16.8	27	16.3	10.5	24.2	21	9.8	6.0	15.0
Myeloma	36	10.3	7.1	14.3	19	14.2	8.1	22.7	17	8.3	4.8	13.4
Leukemia	34	9.6	6.6	13.5	19	13.9	7.9	22.2	15	7.3	4.0	12.0
All Other Sites	177	49.9	42.7	58.0	65	45.8	34.8	59.0	112	54.0	44.3	65.1
Breast in situ (not in total)									69	32.5	25.2	41.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Vermilion

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	198	523.9	450.2	605.4	121	718.6	587.4	867.8	77	379.3	297.0	476.2
Oral Cavity and Pharynx	5	9.6	3.1	23.1	2	7.6	0.9	30.8	3	11.4	2.3	34.9
Esophagus	1	2.0	0.0	12.1	0				1	4.1	0.1	24.0
Stomach	5	14.0	4.2	32.5	2	8.2	1.0	32.3	3	16.5	3.2	46.9
Colon and Rectum	32	89.2	59.8	126.9	20	122.3	71.3	192.2	12	63.1	31.8	110.2
Liver	7	16.4	6.4	34.1	6	32.5	11.1	71.5	1	4.1	0.1	24.0
Pancreas	9	22.8	10.1	43.6	8	47.1	19.1	93.6	1	3.6	0.1	22.8
Lung and Bronchus	31	86.7	57.7	124.1	20	125.9	73.2	198.0	11	56.2	27.5	100.5
Bones and Joints	0				0				0			
Melanoma of the Skin	1	1.5	0.0	10.8	0				1	3.2	0.1	21.7
Breast (invasive)	18	45.6	26.4	72.6	0				18	87.9	51.5	139.3
Cervix									1	5.7	0.1	28.6
Corpus and Uterus, NOS									0			
Ovary									5	28.8	9.2	65.2
Prostate					46	276.8	197.9	374.0				
Testis					0							
Urinary Bladder (includes in situ)	1	3.5	0.1	16.6	1	9.1	0.2	40.7	0			
Kidney and Renal Pelvis	7	15.0	5.9	31.3	5	22.3	7.0	53.5	2	8.5	1.0	31.4
Brain and Nervous System	0				0				0			
Hodgkin Lymphoma	2	2.8	0.3	12.7	0				2	5.8	0.7	25.4
Non-Hodgkin Lymphoma	3	8.8	1.6	24.9	1	3.8	0.1	25.1	2	12.0	1.4	40.2
Myeloma	3	11.2	2.3	30.0	1	9.0	0.2	40.4	2	12.5	1.5	41.2
Leukemia	8	16.9	6.8	34.5	4	16.4	4.2	44.7	4	17.1	4.2	45.7
All Other Sites	13	37.4	19.4	63.9	5	37.6	11.7	84.5	8	38.7	16.4	76.0
Breast in situ (not in total)									5	28.9	9.2	65.4

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Will

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

	Both Sexes				Males				Females			
Site	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	1,443	495.7	467.5	525.0	793	628.0	577.7	681.3	650	396.9	364.4	431.4
Oral Cavity and Pharynx	27	8.3	5.2	12.6	19	14.9	8.1	24.8	8	3.5	1.5	7.3
Esophagus	9	4.2	1.7	8.2	8	10.3	3.7	21.2	1	0.4	0.0	3.1
Stomach	27	9.5	5.9	14.4	17	13.4	7.0	22.9	10	6.3	2.8	11.9
Colon and Rectum	143	50.8	41.9	60.9	82	72.6	55.0	93.5	61	35.7	26.7	46.7
Liver	23	6.6	3.9	10.3	21	13.8	7.8	22.5	2	0.9	0.1	3.7
Pancreas	41	18.0	12.5	24.9	26	29.3	17.6	44.9	15	11.0	5.8	18.5
Lung and Bronchus	191	77.5	65.8	90.6	102	90.9	71.7	113.2	89	66.5	52.4	83.0
Bones and Joints	1	0.2	0.0	1.7	1	0.5	0.0	4.3	0			
Melanoma of the Skin	3	1.0	0.2	3.1	2	1.7	0.2	6.6	1	0.4	0.0	3.0
Breast (invasive)	227	72.1	62.0	83.2	0				227	130.4	112.7	150.0
Cervix									6	2.9	1.1	6.7
Corpus and Uterus, NOS									32	17.9	11.9	26.0
Ovary									20	12.6	7.3	20.1
Prostate					312	223.2	196.2	252.8				
Testis					4	2.3	0.6	6.6				
Urinary Bladder (includes in situ)	32	13.1	8.6	18.9	20	17.4	10.0	27.8	12	9.3	4.6	16.4
Kidney and Renal Pelvis	76	23.4	17.9	29.9	46	31.1	21.6	43.2	30	17.1	11.1	25.1
Brain and Nervous System	13	3.1	1.7	5.6	10	5.1	2.4	10.2	3	1.4	0.3	4.4
Hodgkin Lymphoma	15	3.5	1.9	5.9	9	4.3	1.9	9.0	6	2.7	1.0	6.3
Non-Hodgkin Lymphoma	26	10.5	6.5	15.8	9	8.2	2.9	17.5	17	12.5	7.0	20.4
Myeloma	27	10.5	6.5	15.8	17	16.0	8.3	27.0	10	6.6	2.9	12.6
Leukemia	36	11.4	7.6	16.3	23	16.2	9.5	25.9	13	7.3	3.7	12.9
All Other Sites	152	52.9	43.8	63.2	65	57.0	41.3	76.0	87	51.4	40.4	64.4
Breast in situ (not in total)									71	40.1	30.9	51.2

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015

Winnebago

Cancer Incidence Counts and Five-year Age-adjusted Rates by Sex

All Sites Combined and Selected Sites, Black, 2009-2013

Figures include invasive cancer with the exception of urinary bladder (includes in situ) and breast cancer in situ as a separate category. Incidence counts are five-year totals. Rates are per 100,000 age-adjusted to the 2000 U.S. standard million population. Lower confidence intervals (LCI) and upper confidence intervals (UCI) are 95 percent for rates, Tiwari method.

Site	Both Sexes				Males				Females			
	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI	Count	Rate	LCI	UCI
All Sites	709	509.9	471.0	550.9	358	615.7	547.4	689.5	351	441.5	394.9	491.8
Oral Cavity and Pharynx	7	4.5	1.7	9.5	6	8.9	2.9	20.3	1	1.1	0.0	6.3
Esophagus	10	5.3	2.5	10.0	7	7.9	3.2	17.4	3	2.9	0.6	9.0
Stomach	18	11.3	6.5	18.1	14	20.7	10.8	35.8	4	3.9	1.1	10.4
Colon and Rectum	90	69.2	54.9	85.8	51	91.3	65.7	122.6	39	54.0	37.9	74.3
Liver	19	11.6	6.8	18.5	16	21.9	11.9	36.9	3	3.3	0.7	9.9
Pancreas	30	25.0	16.5	36.0	16	30.2	16.7	49.5	14	20.3	10.8	34.2
Lung and Bronchus	97	76.3	61.0	93.9	52	101.6	72.9	136.7	45	61.9	44.6	83.4
Bones and Joints	2	0.9	0.1	4.0	0				2	1.8	0.2	7.3
Melanoma of the Skin	6	4.8	1.7	10.6	1	2.8	0.1	12.7	5	6.3	2.0	14.8
Breast (invasive)	99	63.8	51.5	78.0	1	2.3	0.1	11.1	98	115.0	93.0	140.6
Cervix									9	9.2	4.2	17.8
Corpus and Uterus, NOS									20	24.1	14.5	37.4
Ovary									10	12.0	5.5	22.6
Prostate					97	163.2	130.3	201.4				
Testis					1	1.5	0.0	8.8				
Urinary Bladder (includes in situ)	14	12.0	6.3	20.4	12	25.8	11.8	46.9	2	3.7	0.5	12.0
Kidney and Renal Pelvis	25	18.0	11.3	26.9	17	27.0	14.9	44.6	8	10.8	4.5	21.3
Brain and Nervous System	5	3.6	1.0	8.5	3	4.0	0.6	13.0	2	3.2	0.4	10.8
Hodgkin Lymphoma	10	6.1	2.9	11.3	7	8.8	3.5	19.0	3	3.5	0.7	10.4
Non-Hodgkin Lymphoma	17	12.2	6.8	19.9	9	13.8	5.8	27.4	8	10.4	4.3	20.7
Myeloma	20	14.5	8.6	22.7	9	15.1	6.5	29.3	11	14.0	6.7	25.2
Leukemia	16	9.8	5.4	16.4	8	11.0	4.1	23.4	8	9.1	3.8	18.2
All Other Sites	87	64.9	51.3	80.8	31	58.1	37.9	84.2	56	70.7	52.9	92.4
Breast in situ (not in total)									28	33.5	22.0	48.7

DATA SOURCE: Illinois Department of Public Health, Illinois State Cancer Registry, data as of November 2015